

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|---------------------------|---|-------------------|------------------------------|
| In re Application of: |) | Examiner: | REICHLE, K. |
| |) | | |
| MATSUI, T. |) | Art Unit: | 3761 |
| |) | | |
| Serial No.: 10/593,173 |) | Confirmation No.: | 8722 |
| |) | | |
| Filed: September 15, 2006 |) | Date: | June 12, 2009 |
| |) | | |
| For: ABSORBENT |) | Our ref: | B-6133PCT 623732-0 |
| ARTICLE |) | | |
| |) | | |
| |) | | <i>Amendment After Final</i> |

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

DO NOT ENTER: /KR/

RESPONSE TO FINAL OFFICE ACTION

Dear Sir:

In response to the Office Action mailed on March 12, 2009, the Applicant respectfully requests that the Examiner enter the following amendments and consider the following remarks in support of allowance of the above-identified patent application.

Amendments to the specification begin on page 2 of the instant response. Amendments to the drawings are reflected in the attached replacement sheets discussed on page 8 of the instant response. Amendments to the claims begin on page 9 of the instant response. Remarks begin on page 12 of the instant response. All remarks and amendments presented herein are made without prejudice.